



**FULL HD**  
1920x1080

**57\_70**



**HD**  
**ready**  
1080p

**HDMI**<sup>™</sup>  
HIGH DEFINITION MULTIMEDIA INTERFACE

# 57\_70

- Principal Characteristics:
- Oversized 57" and 70" LCD panels
  - Full HD 1080p functionality
  - 3 HDMI connections
  - Double Analog + Digital Tuner
  - Integrated Digital Terrestrial DVB-T Free to Air



**Principali Caratteristiche:**

- Pannello LCD da 57" e 70" di grandissimo formato
- Funzionalità Full HD 1080p
- 3 connessioni HDMI
- Doppio Tuner Analogico + Digitale
- Decoder Digitale Terrestre integrato DVB-T Free to Air

**FULL HD**  
1920x1080

TECHNICAL DATA

QUADRO HOME TV COLLECTION 2008\_L'ESSENZIALITA DEL GRANDE FORMATO

La gamma Quadro TV, disponibile nei due eccezionali size da 57" e 70" LCD in formato 16/9, è principalmente caratterizzata dalla funzionalità Full HD 1080p, che permette una risoluzione nativa del pannello di 1920 x 1080 pixel. Tale risoluzione, permette di visualizzare immagini qualitativamente superlative, dalla trama sovrappina e dall'ordito perfetto. I due modelli dispongono inoltre di 3 connessioni HDMI, che permettono la connessione ottimale di qualsiasi periferica digitale avanzata, come lettori DVD di ultima generazione, lettori Blue Ray Disk, decoder ad alta definizione come SKY HD e qualsiasi consolle Videogame HD. La gamma Quadro TV è inoltre dotata di un doppio Tuner Analogico e Digitale, che permette la visualizzazione di tutti i contenuti DVB-T Free to Air della Televisione Digitale Terrestre. I due modelli, con speciale cornice in alluminio, sono disponibili nella nuovissima finitura SILVER cromata brillantata. Particolari staffe a muro rinforzate ed un basamento da tavolo ne assicurano la perfetta installazione in qualsiasi configurazione.

The Quadro TV range is available in two exceptional sizes, 57" and 70" LCD in 16/9format, and principally distinctive due to the Full HD 1080p functionality that creates a resolution of 1920 x 1080 pixels. This resolution creates superlative image quality; accompanied by perfect sound means your viewing experience will be overwhelming.

The two models have 3 HDMI connections for the best connection to any advanced digital device such as the latest generation DVD players, Blue Ray Disk readers, high definition decoders such as SKY HD and any HD Videogame console. The Quadro TV range has a double Analog and Digital Tuner so you can watch Digital Terrestrial Television DVB-T Free to Air content. The two models have special aluminum frames. They are available in the latest finish, chromed polished SILVER. Particular reinforced wall braces and a table stand make it possible to place these TVs in the perfect position.

**DVB-T**  
TERRESTRIAL



**Product name:**

QUADRO LCD 57" FULL-HD DVB-T TV

QUADRO LCD 70" FULL-HD DVB-T TV

	QUADRO LCD 57" FULL-HD DVB-T TV	QUADRO LCD 70" FULL-HD DVB-T TV
<b>DISPLAY PANEL</b>	<p><b>Screen size:</b> 57" (145 cm) diagonal</p> <p><b>Aspect Ratio:</b> 16:9</p> <p><b>Resolution:</b> 1920 (H) x 1080 (V) pixels</p> <p><b>Pixel pitch:</b> 0,65 (H) x 0,65 (V) [mm]</p> <p><b>Useful screen:</b> 1251 (H) x 703 (V) [mm]</p> <p><b>Brightness:</b> 600 cd/m2 (typical)</p> <p><b>Contrast ratio:</b> 2000:1 (typical)</p> <p><b>Viewing angle:</b> 10,000: 1 (dynamic)</p> <p><b>Colors:</b> 180° (in all directions)</p> <p><b>Response time:</b> 16.7 Mil</p> <p>8 ms</p>	<p><b>Screen size:</b> 70" (178 cm diagonal)</p> <p><b>Aspect Ratio:</b> 16:9</p> <p><b>Resolution:</b> 1920 (H) x 1080 (V) pixels</p> <p><b>Pixel pitch:</b> 0,80 (H) x 0,80 (V) [mm]</p> <p><b>Useful screen:</b> 1428 (H) x 804 (V) [mm]</p> <p><b>Brightness:</b> 600 cd/m2 (typical)</p> <p><b>Contrast ratio:</b> 1500:1 (typical)</p> <p><b>Viewing angle:</b> 10,000: 1 (dynamic)</p> <p><b>Colors:</b> 180° (in all directions)</p> <p><b>Response time:</b> 16.7 Mil</p> <p>8 ms</p>
<b>CONNECTIONS</b>	<p><b>Video:</b> Video [CVBS] S-Video [Y/C] SCART1 [CVBS, RGB], SCART2 [CVBS] Component [Y,Pb,Pr]</p> <p><b>PC:</b> Analog RGB [PC]</p> <p><b>Tuner:</b> HDMI 1, HDMI 2, HDMI 3 [HDCP]</p> <p><b>Audio:</b> Antenna [75 Ohm - VHF/UHF/DVB-T] Video / S-Video stereo input Component stereo input PC stereo input Line stereo output Optical audio output (SPDIF) Power stereo output (speakers clinch)</p> <p><b>Control:</b> RS232</p> <p><b>DVB-T MHP:</b> -</p>	<p><b>Video:</b> Video [CVBS] S-Video [Y/C] SCART1 [CVBS, RGB], SCART2 [CVBS] Component [Y,Pb,Pr]</p> <p><b>PC:</b> Analog RGB [PC]</p> <p><b>Tuner:</b> HDMI 1, HDMI 2, HDMI 3 [HDCP]</p> <p><b>Audio:</b> Antenna [75 Ohm - VHF/UHF/DVB-T] Video / S-Video stereo input Component stereo input PC stereo input Line stereo output Optical audio output (SPDIF) Power stereo output (speakers clinch)</p> <p><b>Control:</b> RS232</p> <p><b>DVB-T MHP:</b> -</p>
<b>FEATURES</b>	<p><b>Video:</b> PAL (BGH/D/I, M, N, 60), NTSC (M, 4.43), SECAM</p> <p><b>PC:</b> VGA ~ UXGA (1600x1200) NATIVE (1920x1080)</p> <p><b>DTV:</b> 480i/p, 576i/p, 720p, 1080i/p @ 50/60 Hz</p> <p><b>Analog Tuner:</b> Standard: PAL BG/IDK, SECAM L/L' Tuning system: Electronic with PLL Teletext: BESIC1.5/TOP/FAST</p> <p><b>DVB-T:</b> DVB-T Digital Tuner MPEG-2 MP@ML video MPEG-1 audio layer I&amp;II, AC-3 through SPDIF</p> <p><b>MHP:</b> Channel Banner, Parental Control, EPG</p> <p><b>Audio:</b> Power audio output: 2 x 7W</p> <p><b>Speakers:</b> Built-in stereo speakers</p> <p><b>Others:</b> FullHD Ready SkyHD Tested</p>	<p><b>Video:</b> PAL (BGH/D/I, M, N, 60), NTSC (M, 4.43), SECAM</p> <p><b>PC:</b> VGA ~ UXGA (1600x1200) NATIVE (1920x1080)</p> <p><b>DTV:</b> 480i/p, 576i/p, 720p, 1080i/p @ 50/60 Hz</p> <p><b>Analog Tuner:</b> Standard: PAL BG/IDK, SECAM L/L' Tuning system: Electronic with PLL Teletext: BESIC1.5/TOP/FAST</p> <p><b>DVB-T:</b> DVB-T Digital Tuner MPEG-2 MP@ML video MPEG-1 audio layer I&amp;II, AC-3 through SPDIF</p> <p><b>MHP:</b> Channel Banner, Parental Control, EPG</p> <p><b>Audio:</b> Power audio output: 2 x 7W</p> <p><b>Speakers:</b> Built-in stereo speakers</p> <p><b>Others:</b> FullHD Ready SkyHD Tested</p>
<b>CONTROLS</b>	<p><b>Video:</b> Brightness, Contrast, Color, Sharpness Colour temperature (5 selections, user) Size (16:9, 14:9, 4:3, Panorama, Zoom, Auto) PIP / POP / Split Screen</p> <p><b>TV:</b> Still Auto scan / Auto sort Manual scan / fine tune Auto station name LNA (Low Noise Amplifier)</p> <p><b>Audio:</b> Edit program Volume, Balance Equalizer (5 band) Stereo/mono/dual sound/NICAM AutomaticVolumeControl Internal/External speaker selection</p> <p><b>Others:</b> 3D Comb Filter Stand-by mode Timer (wake-up, sleep) Backlight control Screensaver (orbital, wiper, blue, gray) Programmable OSD</p> <p><b>OSD Language:</b> DE, ES, FR, GB, IT, NL, PT, RU</p>	<p><b>Video:</b> Brightness, Contrast, Color, Sharpness Colour temperature (5 selections, user) Size (16:9, 14:9, 4:3, Panorama, Zoom, Auto) PIP / POP / Split Screen</p> <p><b>TV:</b> Still Auto scan / Auto sort Manual scan / fine tune Auto station name LNA (Low Noise Amplifier)</p> <p><b>Audio:</b> Edit program Volume, Balance Equalizer (5 band) Stereo/mono/dual sound/NICAM AutomaticVolumeControl Internal/External speaker selection</p> <p><b>Others:</b> 3D Comb Filter Stand-by mode Timer (wake-up, sleep) Backlight control Screensaver (orbital, wiper, blue, gray) Programmable OSD</p> <p><b>OSD Language:</b> DE, ES, FR, GB, IT, NL, PT, RU</p>
<b>PHYSICAL</b>	<p><b>Dimensions:</b> 1375 (W) x 828 (H) x 175 (D) 1375 (W) x 828 (H) x 132 (D) (without handle)</p> <p><b>Weight:</b> 55Kg (without base)</p> <p><b>Mains voltage:</b> 115/230 VAC ± 15%, 50/60 Hz</p> <p><b>Power consumption:</b> 500W</p> <p><b>Operating conditions:</b> Storage: -20°C to 65°C (max 85% RH not condensing) Working: 0°C to 50°C (max 85% RH not condensing)</p>	<p><b>Dimensions:</b> 1680 (W) x 1000 (H) x 183 (D) 1680 (W) x 1000 (H) x 139 (D) (without handle)</p> <p><b>Weight:</b> 65 Kg (without base)</p> <p><b>Mains voltage:</b> 115/230 VAC ± 15%, 50/60 Hz</p> <p><b>Power consumption:</b> 550W</p> <p><b>Operating conditions:</b> Storage: -20°C to 65°C (max 85% RH not condensing) Working: 0°C to 50°C (max 85% RH not condensing)</p>
<b>ACCESSORIES</b>	<p>Power cable Remote control with batteries User manual</p>	<p>Power cable Remote control with batteries User manual</p>

QUADRO HOME TV COLLECTION 2008 04/08

Le specifiche di prodotto possono cambiare anche senza preavviso, SAMBERS ITALIA S.p.A. si riserva il diritto di modificare parzialmente o integralmente le informazioni riportate in questo documento.

Product specifications are subject to change without any notification, SAMBERS reserve the right to modify part or whole contents of the specification contained in this document.

# QUADRO



Ricerca stilistica ed innovazione tecnologica.

Una mission aziendale che Hantarex rinnova continuamente e che diventa tratto distintivo anche nella nuova gamma LCD Quadro TV, ammiraglia della Home TV Collection 2008.

Una collezione dal design essenziale, che trasmette una sensazione immediata di eleganza e ricercatezza attraverso la purezza delle linee e l'immensità dell'immagine visualizzata.

Due formati LCD eccezionali, 57" e 70", il meglio.

Con la linea ammiraglia Quadro TV, Hantarex si rivolge ad un pubblico sofisticato ed esigente, che vuole la migliore espressione stilistica integrata con le migliori performance tecnologiche, anche per il televisore di casa. Due televisori Over-Size dirompenti, l'assoluto meglio tecnologico in due capolavori di stile ed avanzata innovazione.

Stylistic research and innovated technology.

Hantarex's mission is to renew its products continuously.

This is the distinctive trait of the new LCD Quadro TV range, the flagship of the 2008 Home TV Collection.

This is a collection with essential design that transmits a sensation of elegance and preciousness through the pure lines and the immense screen. Two exceptional LCD formats, 57" and 70", the best.

Hantarex's flagship Quadro TV range is aimed at a sophisticated and demanding public that wants the best style integrated with the highest performance also for the home television.

Two Over-sized intense televisions, the best technology in two masterpieces of style and advanced innovation.



HANTAREX LIBERA LA CREATIVITÀ

www.hantarex.eu



HANTAREX È PRODOTTO E DISTRIBUITO DA:

**SAMBERS**

I T A L I A

**Headquarter:**  
via Friuli 10/D  
20046  
Biassono (Mi)  
tel. +39.039.2224.1  
fax +39.039.2224.200  
www.hantarex.it  
info@hantarex.it



UNI EN ISO 9001:2000