



19_22



HDMI™
HIGH DEFINITION MULTIMEDIA INTERFACE

L'utente potrà finalmente utilizzare il solo televisore per vedere un disco DVD, senza attaccare nessun'altra periferica aggiunta al TV, inserendo il disco direttamente nell'apposito alloggiamento predisposto nella parte laterale del TV. Inoltre, si potrà vedere un film in formato DViX semplicemente caricandolo nel software del TV, attraverso una semplice chiave USB 2.

Tramite un altro alloggiamento 'Card Reader', l'utente potrà invece visualizzare tutti i contenuti presenti sulle sue Memory Card, come immagini provenienti da una macchina fotografica digitale, contatti e rubriche e tutti i file provenienti da un palmare, etc.

Finally, you can use only one television to watch DVDs without connecting another device to the TV by inserting the disk directly into the slot on the side of the TV. Moreover, you can see a DViX format film by simply loading it in the TV's software using a simple USB 2 Flash Drive

Inserting your Memory Card in the Card Reader slot, you can view the content such as images from a digital camera, contacts and telephone books and all the files on a palm top, etc.



19_22



Principal Characteristics:

- Integrated DVD/DViX player
- USB 2 port
- Card Reader slot
- FM radio
- 12V power
- Hotel Mode
- HD ready functionality
- 2 HDMI connections
- Double Analog + Digital Tuner
- Integrated Digital Terrestrial DVB-T Free to Air



XPLEXI COMBI HOME TV COLLECTION 2008 _ SINTESI TRA TECNOLOGIA E DESIGN

Principali Caratteristiche:

- Lettore DVD/DViX integrato
- Ingresso USB 2
- Ingresso Card Reader
- Radio FM
- Alimentazione 12V
- Hotel Mode
- Funzionalità HD ready
- 2 connessioni HDMI
- Doppio Tuner Analogico + Digitale
- Digitale Terrestre integrato DVB-T Free to Air

I nuovi modelli da 19" e 22" Xplexi Combi, possono anche essere utilizzati per forniture professionali di tipo Contract, che prevedono l'installazione massiva degli apparecchi in location quali alberghi, uffici e/o altre diverse situazioni.

Grazie alle sue particolarità, quali la funzione 'Hotel Mode' (che prevede il limite della regolazione del volume e della selezione dei canali), la funzione di ascolto Radio FM e l'alimentazione a 12 V, entrambi i modelli sono predisposti per essere installati in camere d'albergo, e/o montati e meccanizzati all'interno di mobili e scrivanie.

Above all that, the new 19" and 22" Xplexi Combi models can also be used for professional applications such as Contract that must be installed in massive structures in locations such as hotels, offices and/or other different situations. Thanks to their particularities such as the 'Hotel Mode' function, which limits the volume and channel selections, the FM Radio function and the 12V power supply, both models are predisposed to be installed in hotel rooms, and/or mounted and mechanize in cabinets and desks.



TECHNICAL DATA



Product name:

		LCD 19" COMBI	LCD 22" COMBI	
DISPLAY PANEL	Screen size:	19" (48 cm diagonal)	22" (56 cm diagonal)	
	Aspect Ratio:	16:10	16:10	
CONNECTIONS	Resolution:	1440 (H) x 900 (V) pixels	1680 (H) x 1050 (V) pixels	
	Pixel pitch:	0,29 (H) x 0,29 (V) [mm]	0,28 (H) x 0,28 (V) [mm]	
	Useful screen:	408 (H) x 255 (V) [mm]	473 (H) x 296 (V) [mm]	
	Brightness:	300 cd/m2 (typical)	300 cd/m2 (typical)	
	Contrast ratio:	700:1 (typical)	1000:1 (typical)	
	Viewing angle:	178° (in all directions)	178° (in all directions)	
	Colors:	16.7 Mil	16.7 Mil	
	Response time:	5 ms	5 ms	
	Video:	Video [CVBS] SCART1 [CVBS, RGB] Component [Y,Pb,Pr] Analog RGB [PC]	Video [CVBS] SCART1 [CVBS, RGB] Component [Y,Pb,Pr] Analog RGB [PC]	Video [CVBS] SCART1 [CVBS, RGB] Component [Y,Pb,Pr] Analog RGB [PC]
	PC:	HDMI 1, HDMI 2, [HDCP]	HDMI 1, HDMI 2, [HDCP]	HDMI 1, HDMI 2, [HDCP]
Tuner:	Aerial [75 Ohm - VHF/UHF/DVB-T] Aerial [FM 87,5 / 108 MHz]	Aerial [75 Ohm - VHF/UHF/DVB-T] Aerial [FM 87,5 / 108 MHz]	Aerial [75 Ohm - VHF/UHF/DVB-T] Aerial [FM 87,5 / 108 MHz]	
Audio:	Video stereo input Component stereo input PC stereo input presa cuffia	Video stereo input Component stereo input PC stereo input presa cuffia	Video stereo input Component stereo input PC stereo input presa cuffia	
Others:	USB Card Reader SD / MMC / MS	USB Card Reader SD / MMC / MS	USB Card Reader SD / MMC / MS	
FEATURES	Video:	PAL (BG/DK/I), SECAM L / L' VGA - SXGA (1280x1024)	PAL (BG/DK/I), SECAM L / L' VGA - UXGA (1600x1200)	
	PC:	480i/p, 576i/p, 720p, 1080i / @ 50/60 Hz	480i/p, 576i/p, 720p, 1080i / @ 50/60 Hz	
	Analog Tuner:	Standard: PAL BG/DK, SECAM L/L' Tuning system: FST Teletext: 10 PAGES	Standard: PAL BG/DK, SECAM L/L' Tuning system: FST Teletext: 10 PAGES	
	DVB-T:	DVB-T Digital Tuner	DVB-T Digital Tuner	
	DVD:	Compatible disc DVD/SVCD/VCD/CD/CD-R CD-RW/MP3/MPEG4	Compatible disc DVD/SVCD/VCD/CD/CD-R CD-RW/MP3/MPEG4	
USB / Card reader:	USB 2.0 Full speed SD/MS/MMC supported supporting MPEG1/MPEG2/MPEG4 Divx3.x/4.x/5.x Compliant Full MPEG audio / MP3 / WMA Power audio output: 2 x 10 W	USB 2.0 Full speed SD/MS/MMC supported supporting MPEG1/MPEG2/MPEG4 Divx3.x/4.x/5.x Compliant Full MPEG audio / MP3 / WMA Power audio output: 2 x 10 W	USB 2.0 Full speed SD/MS/MMC supported supporting MPEG1/MPEG2/MPEG4 Divx3.x/4.x/5.x Compliant Full MPEG audio / MP3 / WMA Power audio output: 2 x 10 W	
Audio:	Built-in stereo speakers	Built-in stereo speakers	Built-in stereo speakers	
Speakers:	HD Ready	HD Ready	HD Ready	
Others:	SKY Tested	SKY Tested	SKY Tested	
CONTROLS	Video:	Brightness, Contrast, Color, Sharpness Colour temperature (3 selections) Noise reduce (4 selections) Size (16:9, 4:3)	Brightness, Contrast, Color, Sharpness Colour temperature (3 selections) Noise reduce (4 selections) Size (16:9, 4:3)	
	TV:	Auto scan / Auto sort Manual scan / fine tune Auto station name Edit program	Auto scan / Auto sort Manual scan / fine tune Auto station name Edit program	
	Audio:	Volume, Balance Bass/Treble	Volume, Balance Bass/Treble	
	Others:	Stereo/mono/dual sound/NICAM AutomaticVolumeControl 2D Comb Filter Stand-by mode Timer (wake-up, sleep) Reset Screensaver (blue) Programmable OSD	Stereo/mono/dual sound/NICAM AutomaticVolumeControl 2D Comb Filter Stand-by mode Timer (wake-up, sleep) Reset Screensaver (blue) Programmable OSD	
	OSD Language:	GB, IT	GB, IT	
PHYSICAL	Dimensions:	498 (W) x 415 (H) x 190 (D) 498 (W) x 379 (H) x 85 (D) (without pedestal)	575 (W) x 473 (H) x 190 (D) 575 (W) x 438 (H) x 85 (D) (without pedestal)	
	Weight:	5,7 Kg	6,8 Kg	
	Mains voltage:	115/230 VAC ± 15%, 50/60 Hz	115/230 VAC ± 15%, 50/60 Hz	
ACCESSORIES	Power consumption:	60W	60W	
	Operating conditions:	Storage: -20°C to 65°C (max 85% RH not condensing) Working: 5°C to 35°C (max 85% RH not condensing)	Storage: -20°C to 65°C (max 85% RH not condensing) Working: 5°C to 35°C (max 85% RH not condensing)	
ACCESSORIES	Power supply:	external	external	
	Remote control:	with batteries FM aerial User manual	with batteries FM aerial User manual	



XPLEXI COMBI HOME TV COLLECTION 2008 04/08
Le specifiche di prodotto possono cambiare anche senza preavviso, SAMBERS ITALIA S.p.A. si riserva il diritto di modificare parzialmente o integralmente le informazioni riportate in questo documento.
Product specifications are subject to change without any notification, SAMBERS reserve the right to modify part or whole contents of the specification contained in this document.

XPLEXI COMBI



Design estremo e integrazione tecnologica All-In-One sono i nuovi focus di HANTAREX per la nuova Home TV Collection del 2008. Hantarex si rinnova continuamente e l'integrazione di tutte le più comuni funzionalità digitali diventa il tratto distintivo per la nuova eccellente gamma di LCD TV di piccolo formato Xplexi Combi.

Una collezione dal design accattivante, ma in linea con la consueta eleganza e stile dei prodotti Hantarex, che si rivolge ad un pubblico giovane e immediato, che vuole un prodotto intelligente e semplice, integrato di tutti i gadget tecnologici appartenenti a questo nuovo mondo digitale. La gamma Xplexi Combi, disponibile nei due size da 19" e 22" LCD in formato 16/9, è caratterizzata dalla funzionalità HD ready, da 2 connessioni HDMI e soprattutto dall'integrazione di un doppio Tuner Analogico e Digitale, che dà la possibilità all'utilizzatore di visualizzare tutti i contenuti DVB-T Free to Air della Televisione Digitale Terrestre.

Extreme design and All-In-One integrated technology are HANTAREX's new focal points for the new 2008 Home TV Collection. Hantarex continuously renews its products and integrates all the most common digital functionalities. These are the distinctive traits of this new small format LCD TV range called Xplexi Combi.

This is a collection with a new captivating design, but in line with Hantarex's habitual elegance and style, aimed at a youthful and meticulous public that wants an intelligent and simple product integrated with all the latest technological functions available in the new world of digital.

The Xplexi Combi range, available in 2 sizes: 19" and 22" LCD in 16/9 formato, is characterized by HD ready, 2 HDMI connections and, above all, by a double Analog and Digital Tuner so you can watch all the Digital Terrestrial Television DVB-T Free to Air content.



HANTAREX LIBERA LA CREATIVITÀ

www.hantarex.eu



HANTAREX È PRODOTTO E DISTRIBUITO DA:

SAMBERS

I T A L I A

Headquarter:
via Friuli 10/D
20046
Biassono (Mi)
tel. +39.039.2224.1
fax +39.039.2224.200
www.hantarex.it
info@hantarex.it



UNI EN ISO 9001:2000